





#### CHARACTERISTICS OF THE PEELINGS

The key ingredients of **K-PEEL** product lines are **Gycolic**, **Mandelic**, **Pyruvic**, **Salicylic** and **Lactic** acids in different concentrations and formulations, so that the appropriate therapy can be matched to any skin type of any patient.

The product line offers the clinical benefits of healthier, smoother, softer, more radiant skin with a diminished appearance of fine lines and wrinkles.

All products are dermatologist tested, are uniquely formulated to enhance therapeutic skin care. They are effective in improving aging or sun-damaged skin, and also for the treatment of a number of dermatological conditions such as dry skin and acne, as well as other skin problems.

#### APPLICATION OF THE PEELINGS:

- The maximum efficiency of the K-PEELS is in the combined use of layers
- Each layer hould be washed up with cold water and thereafter applied again on the dry skin
- Peeling can be mixed together except of glycol and salicylic types

## GLYCOLIC ACID 35%, 50 %

## **Ingredients:**

Glycolic acid - alpha - hydroxy acid (AHA) has the lowest molecular weight, thereby penetrates deeply into the skin. Glycolic acid has keratolytical effect, makes the skin soft and smooth, interacts with receptors of fibroblasts, stimulating the production of proteoglycan, hyaluronic acid and collagen in the dermis, has antioxidant and moisturizing effect, prevents the formation of melanin, removes age spots.

## Indications:

- Natural aging of the skin
- Photoaging
- Hyperpigmentation, freckles
- Small wrinkles
- Uneven skin texture and tone





## PYRUVIC ACID 30%, 40 %

## **Ingredients:**

Pyruvic acid is a simple alpha acid. Its hydrophilicity less than that of salicylic acid and glycolic and hence the degree of penetration through hair follicles is significantly higher. Pyruvic acid has a strong bactericidal effect, enhances the synthesis of collagen, increases the hydration of the dermis.

#### **Indications:**

- Oily skin, acne
- Seborrhea
- Uneven skin texture
- Acne spots
- Scars and stretch marks
- Photoaging
- Light wrinkles
- Hyperpigmentation, freckles





## MANDELIC ACID 30%, 40 %

## **Ingredients:**

Mandelic acid - alpha - hydroxy acid (AHA)- is a fruit acid, obtained from the extract of bitter almonds. Mandelic acid has a strong bactericidal action, has no photosensitizing effect, which allows you to use it in a period of high solar activity.



#### **Indications:**

- Sensitive skin
- Thin skin
- Photoaging
- Light wrinkles
- Hyperpigmentation, freckles
- Acne spots
- Stretch marks



## **LACTIC ACID 30%, 40 %**

## **Ingredients:**

Lactic Acid - alpha hydroxy acid (AHA), characterized by a strong moisturizing effect. Lactic acid has the ability to attract and retain water, thereby increasing the elasticity of the skin, has an antioxidant action, has no photosensitizing effect that allows its use in periods of high solar activity.

#### **Indications:**

- Dry skin
- Photoaging
- Surface wrinkles and lines of expression
- The skin with a tendency to atopy





#### **SALICYLIC ACID 2%**

## **Ingredients:**

Salicylic acid (hydroxybenzoic acid) belongs to the beta hydroxy acid. Salicylic acid has anti-inflammatory, antibacterial and keratolytic action. Prepares the skin for an deep penetration of the active components, suitable for all skin types.

#### **Indications:**

- Oily skin, acne
- Uneven skin texture, large pores
- Photoaging
- Rosacea



NAME OF THE PEELING	CONCENTRATION	INDICATIONS
MANDELIC ACID	30% 40%	Sensitive and thin skin, photoaging, "first" wrinkles, hyperpigmentation and freckles, post acne, stretch marks
LACTIC ACID	30% 40%	Dry skin, "the first" wrinkles and lines of expression, photoaging, peeling skin with a tendency to atopy
PYRUVIC ACID	30% 40%	Oily skin, age skin, acne , acne scars
GLYCOLIC ACID	35% 50%	Moisturizing of the dry skin, rejuvenation of the aging skin, wrinkles, expression, photoaging, hyperpigmentation and freckles
SALICILIC ACID	2%	Prevention of acne during comedogenic phase, acne, oily skin, photoaging, oily skin rejuvenation

#### PROTOCOL OF USE:

- 1. Apply a thin layer of peeling gel (I-2 ml) on the entire face, avoiding contact with eyes.
- 2. Leave the peeling gel on the skin for 3-4 minutes, then rinse thoroughly with cold water. The procedure should be completed immediately under intense redness, or severe burning of the skin.
- 3. On the dried skin, is recommended to apply any mask or a cream for sensitive skin with phytoprotection to reduce hypersensitivity and redness of the skin
- 4. The combined application of peelings (maximum of three) each peel is applied to 4 minutes, rinse with water.

## **Exposure time:**

First treatment: 3 to 4 minutes.

Follow-up treatment: increase of I minute each session.

Maximum exposure time: up to 8 minutes.

Course of treatments: 2-4 year (interval between courses of 2-3 months)

3-4 procedures in 15-20 days

#### **CONTROINDICATIONS:**

- Atopic dermatitis
- Herpes simplex
- Warts
- Use of oral retinoids
- Postoperative period
- Pregnancy and breast-feeding.

## Safety measures:

Apply only to intact skin. Avoid contact with eyes. If the product gets into your eyes, immediately wash with water, holding the eyes open. The product is for topical use only.

## **Storage conditions:**

The product should be stored in a cool, ventilated place, out of the sunlight and heat sources, at a temperature of 4-25 ° C.

Close bottle after the use, so that the product does not flow out.

## **RECOMMENDATIONS:**

- Please, take into consideration that **Post peeling peri**od is characterized by a short-term redness of the skin maximum up to 2 hours.
- The Peeling of the skin with K-Peels products goes unnoticed, without disturbing the social activity of the client.
- It is very important for a week after the peeling treatment to use regenerating skin cream.
- When the process is complete, some exfoliation cream is recommended, depending on the patient's skin type.
- For the prevention of hyperpigmentation, within three months, sun protection factor SPF 25 cream is recommended.

INDICATIONS	COMBINED PROTOCOL OF PEELINGS
STARTER PEELING	MANDELIC 30% +SALICILIC 2% + LACTIC 30%
REVITALIZATION OF THE SKIN	MANDELIC 30% + LACTIC 30%
HYPERPIGMENTATION OF THE SKIN	MANDELIC 30% + SALICILIC 2% + PYRUVIC 30%
ANTI AGING 25 – 35 YEARS	PYRUVIC 30% + GLYCOLIC 35%
ANTI AGING 35 – 45 YEARS	GLYCOLIC 35% + LACTIC 30%
ANTI AGING OLDER THEN 45 YEARS	SALICILIC 2% + GLYCOLIC 35%
LACK OF THE TONE AND ELASTISITY OF THE SKIN	SALICILIC 2% + GLYCOLIC 50%
DRY SKIN 25-35 YEARS	MANDELIC 30% + LACTIC 30%
DRY SKIN 35 -45 YEARS	MANDELIC 30% + GLYCOLIC 35%
DRY SKIN OLDER THEN 45 YEARS	SALICILIC 2% + GLYCOLIC 35%
LABIAL AND NASAL AREA	MANDELIC 30% + SALICILIC 2 % + GLYCOLIC 35%
DEEP WRINKLES 30-40 YEARS	MANDELIC 30% + GLYCOLIC 35%
DEEP WRINKLES 40-50 YEARS	SALICILIC 2% + GLYCOLIC 50%
DEEP WRINKLES OLDER THEN 50 YEARS	SALICILIC 2% + GLYCOLIC 35% + GLYCOLIC 50%

# THANK YOU FOR YOU ATTENTION

#### Vida srl

Milan Office Viale Milano Fiori, Strada I, Palazzo F2 20090 Assago (MI) Tel.: 0039 02 5750 5145



Pisa Office Via Galileo Galilei n. 4 56040 Lavoria-Crespina (PI) Tel.: 0039 050 643 281